




No More Wheel Benders

Bicyclists hate old-style “wheel bender” bike racks, the ones where you wedge your wheel between the bars and can’t use a U-lock. We hate them, too! That’s why we made the U-LOCKit — a small, modular, affordable rack that actually does what bike racks are supposed to do: secure your bike with any lock. Perfect for smaller applications and short-term parking at schools, churches, and small businesses.

554br375

ADD ON AS NEEDED

Individual U-Lockit arms bolt together so you can order just the amount you need, and it's easy to add more later.



FINISH OPTIONS

Galvanized




Powder Coat



U-LOCKIT

Submittal Sheet



CAPACITY

2 Bikes per hoop
3 hoop minimum for stability

MATERIALS

Hoop: 1.5" 16g sq. tube
Connectors: 11g plate

FINISHES



Powder Coat

Our powder coat finish assures a high level of adhesion and durability by following these steps:

1. Sandblast
2. Epoxy primer electrostatically applied
3. Final thick TGIC polyester powder coat



Galvanized

An after fabrication hot dipped galvanized finish is our standard option.

MOUNT OPTIONS



Surface


All connections and mounting parts have pre-threaded mounting holes (except the feet). No drilling or tapping required.




U-LOCKIT

Setbacks

Double sided use




Single sided use



U-LOCKIT


Installation Instructions

1




Place the rack in the desired location. Use a marker or pencil to outline the holes of the flange onto the base material.

2



Attach the next hoop and (2) plates with (2) 3/8" x 1" tamper-resistant bolts, (2) 3/8" x 1" bolts, and (4) washers. Continue attaching hoops and plates as needed.

3



When assembly is completed, position the assembly and anchor to the ground through the slotted holes in the plates on each end of the run of racks. For longer runs you may also need to add anchors to a middle section.

