




# E-Series Park Bench with Back


Model #: 624be100

**Specifications: Perforated, In-Ground**


Top View:



Front View:



Side View:





# E-Series Park Bench with Back

Model #: 624be100

**Specifications: Perforated, In-Ground**

## Product Highlights

Seats & Back:	11-gauge die formed angle frame 1" x 1-7/8" with 3" radius corners. Seat and back plates are fabricated from a 12 ga plate. Holes are precision punched at 3/4" diameter. 10-gauge x 1-1/2" flat bar center and mounting bracket understructure. Electrically MIG welded.
Coating:	Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.
Frame:	2-3/8" O.D. x 12-gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7-gauge x 1-1/2" die stamped steel flat bat. All electrically MIG welded.
Frame Coating:	Electrostatic powder coated application oven cured.
Hardware:	All stainless-steel hardware fasteners.
Dimensions:	6' bench in-ground with back. Seats and back 10" wide x 72" long. Seat height is 18", seat back height is 34". Total depth of seat with back is 21-1/4"




# E-Series Park Bench with Back


Model #: 624be100

**Specifications: Diamond, In-Ground**


Top View:



Front View:



Side View:





# E-Series Park Bench with Back

Model #: 624be100

**Specifications: Diamond, In-Ground**

## Product Highlights

Seats & Back:	11-gauge die formed angle frame 1" x 1-7/8" with 3" radius corners. 3/4" #9 steel expanded metal. 10-gauge x 1-1/2" flat bar center and mounting bracket understructure. Electrically MIG welded.
Coating:	Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.
Frame:	2-3/8" O.D. x 12-gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7-gauge x 1-1/2" die stamped steel flat bat. All electrically MIG welded.
Frame Coating:	Electrostatic powder coated application oven cured.
Hardware:	All stainless-steel hardware fasteners.
Dimensions:	6' bench in-ground with back. Seats and back 10" wide x 72" long. Seat height is 18", seat back height is 34". Total depth of seat with back is 21-1/4"




# E-Series Park Bench with Back


Model #: 624be100

**Specifications: Perforated, Portable**


Top View:



Front View:



Side View:





# E-Series Park Bench with Back

Model #: 624be100

**Specifications: Perforated, Portable**

## Product Highlights

Seats & Back:	11-gauge die formed angle frame 1" x 1-7/8" with 3" radius corners. Seat and back plates are fabricated from a 12 ga plate. Holes are precision punched at 3/4" diameter. 10-gauge x 1-1/2" flat bar center and mounting bracket understructure. Electrically MIG welded.
Coating:	Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.
Frame:	2-3/8" O.D. x 12-gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7-gauge x 1-1/2" die stamped steel flat bat. Cross braces are 1.029 O.D. x 15-gauge pre-galvanized structural steel tubing. All electrically MIG welded.
Frame Coating:	Electrostatic powder coated application oven cured.
Hardware:	All stainless-steel hardware fasteners.
Dimensions:	6' bench portable with back. Seats and back 10" wide x 72" long. Seat height is 18", seat back height is 34-1/4". Total depth of seat with back is 22-1/4"




# E-Series Park Bench with Back


Model #: 624be100

**Specifications: Diamond, Portable**


Top View:



Front View:



Side View:







# E-Series Park Bench with Back

Model #: 624be100

**Specifications: Diamond, Portable**

## Product Highlights

Seats & Back:	11-gauge die formed angle frame 1" x 1-7/8" with 3" radius corners. 3/4" #9 steel expanded metal. 10-gauge x 1-1/2" flat bar center and mounting bracket understructure. Electrically MIG welded.
Coating:	Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.
Frame:	2-3/8" O.D. x 12-gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7-gauge x 1-1/2" die stamped steel flat bat. All electrically MIG welded.
Frame Coating:	Electrostatic powder coated application oven cured.
Hardware:	All stainless-steel hardware fasteners.
Dimensions:	6' bench portable with back. Seats and back 10" wide x 72" long. Seat height is 18", seat back height is 34-1/4". Total depth of seat with back is 22-1/4"






# E-Series Park Bench with Back


Model #: 624be100

**Specifications: Perforated, Surface Mount**


Top View:



Front View:



Side View:





# E-Series Park Bench with Back

Model #: 624be100

**Specifications: Perforated, Surface Mount**

## Product Highlights

Seats & Back:	11-gauge die formed angle frame 1" x 1-7/8" with 3" radius corners. A 12 gauge piece of sheet steel is precision punched with a 3/4" hole to create the punched pattern, the understructure/attachment plates are fabricated from 10-gauge x 1-1/2" flat bar. Top is additionally supported to the outer frame with 10-gauge x 1-1/2" flat bar. Electrically MIG welded.
Coating:	Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.
Frame:	2-3/8" O.D. x 12-gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7-gauge x 1-1/2" die stamped steel flat bar. A 6" x 6" steel plate makes up the surface mount footing. The surface mount plate has hour holes for stable mounting, and clipped corners for a more finished look. All electrically MIG welded.
Frame Coating:	Electrostatic powder coated application oven cured.
Hardware:	All stainless-steel hardware fasteners.
Dimensions:	6' bench surface mount with back. Seats and backs are 10" wide x 72" long. Seat height is 18-1/4", seat back height is 34-1/4". Total depth of seat with back is 21-3/4"




# E-Series Park Bench with Back


Model #: 624be100

**Specifications: Diamond, Surface Mount**


Top View:



Front View:



Side View:





# E-Series Park Bench with Back

Model #: 624be100

**Specifications: Diamond, Surface Mount**

## Product Highlights

Seats & Back:	11-gauge die formed angle frame 1" x 1-7/8" with 3" radius corners. 3/4" #9 steel expanded metal. 10-gauge x 1-1/2" flat bar center and mounting bracket understructure. Electrically MIG welded.
Coating:	Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.
Frame:	2-3/8" O.D. x 12-gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7-gauge x 1-1/2" die stamped steel flat bat. A 6" x 6" steel plate makes up the surface mount footing. The surface mount plate has hour holes for stable mounting, and clipped corners for a more finished look. All electrically MIG welded.
Frame Coating:	Electrostatic powder coated application oven cured.
Hardware:	All stainless-steel hardware fasteners.
Dimensions:	6' bench in-ground with back. Seats and back 10" wide x 72" long. Seat height is 18-1/4", seat back height is 34-1/4". Total depth of seat with back is 21-3/4"